

| L Number | Hits | Search Text  | DB  | Time stamp          |
|----------|------|--|---|---------------------|
| 1        | 2    | ("6266784").PN.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>12:38 |
| 8        | 4    | automatic\$2 adj updat\$3 with time with day   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>12:40 |
| 15       | 0    | updat\$3 with (backup\$3 or back-up\$3) with index\$3 with (link or url)                                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>14:06 |
| 22       | 1    | updat\$3 same (backup\$3 or back-up\$3) same index\$3 with (link or url)                                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>15:46 |
| 29       | 0    | (updat\$3 same (backup\$3 or back-up\$3) same index\$3 with (link or url)) and (index with html)             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>15:46 |
| 36       | 1    | (updat\$3 same (backup\$3 or back-up\$3) same index\$3 with (link or url)) and (html)                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>15:46 |
| 45       | 10   | ((("6151609") or ("6466940") or ("6278992") or ("5796945") or ("6266784")).PN.                               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>16:59 |
| -        | 0    | ("updat\$3 with (((HTML or web) adj (file or page)) or document) with (server or database or resource)").PN. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>08:32 |
| -        | 1546 | updat\$3 with (((HTML or web) adj (file or page)) or document) with (server or database or resource)         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/11<br>11:49 |
| -        | 36   | updat\$3 with (((HTML or web) adj (file or page)) or document) with (server ) with www                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/11<br>11:49 |
| -        | 20   | (updat\$3 with (((HTML or web) adj (file or page)) or document) with (server ) with www) and @ad<19990331    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/11<br>13:30 |
| -        | 38   | home adj page adj updat\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/11<br>13:11 |
| -        | 9    | (home adj page adj updat\$3) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/11<br>13:12 |

|   |     |  |   |                     |
|---|-----|--|---|---------------------|
| - | 0   | (updat\$3 with upload\$3 with (((HTML or web) adj (file or page)) or document) with (server ) with www) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/11<br>13:30 |
| - | 12  | (updat\$3 with upload\$3 with (((HTML or web) adj (file or page)) or document) ) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/11<br>14:21 |
| - | 299 | (file adj name with date with time) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/11<br>14:22 |
| - | 2   | (file adj name with date with time) same (updat\$3 same backup) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/11<br>16:13 |
| - | 75  | koshizaka.in.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/11<br>16:07 |
| - | 9   | koshizaka with yoshihiro.in.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/11<br>16:09 |
| - | 1   | (koshizaka with yoshihiro.in.) and backup\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/15<br>16:57 |
| - | 299 | (file adj name with date with time) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/11<br>16:14 |
| - | 9   | (file adj name with date with time same backup) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/11<br>16:22 |
| - | 0   | (attach\$3 or add\$3 or append\$3 or modif\$4 or prepend\$3) near3 ((time with date) or time/date or date/time) near3 (file near2 name) and @ad<19990331             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/11<br>16:28 |
| - | 0   | (attach\$3 or add\$3 or append\$3 or modif\$4 or prepend\$3) with ((time with date) or time/date or date/time) near3 (file near2 name) and @ad<19990331              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/11<br>16:29 |
| - | 28  | (attach\$3 or add\$3 or append\$3 or modif\$4 or prepend\$3) with ((time with date) or time/date or date/time) with (file near2 name) and @ad<19990331               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/11<br>16:58 |
| - | 3   | (attach\$3 or add\$3 or append\$3 or modif\$4 or prepend\$3) with ((time with date) or time/date or date/time) with (file near2 name) same updat\$3 and @ad<19990331 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/11<br>17:10 |
| - | 56  | (attach\$3 or add\$3 or append\$3 or modif\$4 or prepend\$3) with ((time or date) or time/date or date/time) same (file near2 name) same updat\$3 and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/04/11<br>17:22 |

|   |       |   |   |                     |
|---|-------|---|---|---------------------|
| - | 38    | ((time with date) or time/date or date/time) with (file near2 name) with (updat\$3 or updat\$3 or modify\$3) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>12:48 |
| - | 2     | ("5796825").PN.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>12:59 |
| - | 15    | (generat\$3 or creat\$3 or provide) with ((file or page or document or record or folder) adj (name or id or identifier)) with updat\$3 with ((time with date) or time/date or date/time) and @ad<19990331 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>13:15 |
| - | 48    | HOSAKA with NAOKI.in.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>14:04 |
| - | 0     | provide with information with reproduction with reading with history with directory with updating with file.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>14:05 |
| - | 0     | provide with information with reproduction with reading with history with directory with updating with file   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>14:06 |
| - | 0     | provid\$3 with information with reproduction with read\$3 with history with directory with updat\$3 with file   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>14:07 |
| - | 0     | provid\$3 same information same reproduction same read\$3 same history same directory same updat\$3 same file   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>14:08 |
| - | 13    | read\$3 same history same directory same updat\$3 same file   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>14:27 |
| - | 607   | history with updat\$3 with file   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>14:28 |
| - | 64    | read\$3 with history with updat\$3 with file  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>14:28 |
| - | 48    | ( read\$3 with history with updat\$3 with file) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>14:41 |
| - | 0     | 11175380.URPN.  | USPAT   | 2003/04/12<br>14:33 |
| - | 0     | 11175380.URPN.  | USPAT   | 2003/04/12<br>14:33 |
| - | 67708 | OLYMPUS with OPTICAL.as.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>15:19 |

|   |      |   |   |                     |
|---|------|---|---|---------------------|
| - | 31   | (OLYMPUS with OPTICAL.as.) and (file with updat\$3)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>14:42 |
| - | 7    | ("5469564"   "5535188"   "5629981"   "5671202"   "5859968"   "5918222"   "5940516").PN.   | USPAT   | 2003/04/12<br>14:57 |
| - | 2    | ("4677670"   "5144665").PN.   | USPAT   | 2003/04/12<br>14:58 |
| - | 1114 | updat\$3 with (history or backup\$3 or back-up\$3) with file  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>15:26 |
| - | 17   | updat\$3 with ((read\$3 or retriev\$3) adj(history or backup\$3 or back-up\$3)) with file   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/12<br>15:27 |
| - | 202  | (upload\$3 or updat\$3 or creat\$3 or modify\$3) with (file or page or document or record or folder) adj (name or id or identifier or identification) with date with time   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>09:04 |
| - | 29   | ((upload\$3 or updat\$3 or creat\$3 or modify\$3) with (file or page or document or record or folder) adj (name or id or identifier or identification) with date with time)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>09:04 |
| - | 16   | same (backup or back-up or history) (((upload\$3 or updat\$3 or creat\$3 or modify\$3) with (file or page or document or record or folder) adj (name or id or identifier or identification) with date with time) same (backup or back-up or history) ) and @ad<19990331 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>08:49 |
| - | 16   | (upload\$3 or updat\$3 or creat\$3 or modify\$3 or post\$3) with (file or page or document or record or folder) adj (name or id or identifier or identification) with date with time same (backup or back-up or history) and @ad<19990331                               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>09:24 |
| - | 27   | (upload\$3 or updat\$3 or creat\$3 or modify\$3 or post\$3) same (file or page or document or record or folder)near2 (name or id or identifier or identification) with date with time same (backup or back-up or history) and @ad<19990331                              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>09:26 |
| - | 27   | (upload\$3 or updat\$3 or creat\$3 or modify\$3 or post\$3) same (file or page or document or record or folder or message) near2 (name or id or identifier or identification) with date with time same (backup or back-up or history) and @ad<19990331                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>09:39 |
| - | 69   | (read\$3 or retriev\$3) with history with directory   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>09:40 |
| - | 41   | ((read\$3 or retriev\$3) with history with directory) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>09:57 |

|   |      |   |   |                     |
|---|------|---|---|---------------------|
| - | 1520 | (generat\$3 or creat\$3 or modif\$3) near3<br>(file adj (name or id or identifier))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>10:02 |
| - | 61   | (generat\$3 or creat\$3 or modif\$3) near3<br>(file adj (name or id or identifier))<br>with date with time                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>10:03 |
| - | 35   | ((generat\$3 or creat\$3 or modif\$3)<br>near3 (file adj (name or id or<br>identifier)) with date with time ) and<br>@ad<19990331 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>10:43 |
| - | 42   | (home adj page near3 updat\$3) and<br>@ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>15:06 |
| - | 0    | (home adj page near3 updat\$3) with<br>(backup or back-up) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>11:03 |
| - | 0    | (home adj page near3 updat\$3) same<br>(backup or back-up) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>11:03 |
| - | 3    | updat\$3 with (backup or history) with<br>(web adj page) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>15:11 |
| - | 4    | (personal adj home adj page with<br>updat\$3) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>15:13 |
| - | 5    | (personal adj home adj page same<br>updat\$3) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>15:14 |
| - | 157  | (supply\$3 adj information same updat\$3)<br>and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>15:15 |
| - | 377  | (reproduc\$3 or read\$3 or retriev\$3)<br>with (history or bakup or copy or<br>replica) with web                                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>15:58 |
| - | 185  | ((reproduc\$3 or read\$3 or retriev\$3)<br>with (history or bakup or copy or<br>replica) with web) and @ad<19990331               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>16:39 |
| - | 0    | (upload\$3 near2 (file or page or<br>document) with (backup or back-up)) and<br>@ad<19990331                                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>16:43 |
| - | 1    | (upload\$3 near2 (file or page or<br>document) same (backup or back-up)) and<br>@ad<19990331                                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>16:43 |

|   |     |   |   |                     |
|---|-----|---|---|---------------------|
| - | 523 | (upload\$3 near2 (file or page or document)) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>16:45 |
| - | 4   | (upload\$3 near2 (file or page or document) same (home adj page)) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>16:53 |
| - | 0   | (upload\$3 near4 (file or page or document) same (personal adj home adj page)) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>16:56 |
| - | 196 | user with web adj page with stor\$3 with server and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>16:57 |
| - | 2   | user with web adj page with stor\$3 with server same ((personal or private or individual or own) near2 (web adj page)) and @ad<19990331           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>17:06 |
| - | 21  | ((web adj page) same (history or backup or back-up) same updat\$3)and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>17:15 |
| - | 799 | ((updat\$3 or upload\$3) near2 (page or file)) with (backup or backup or history or replica or copy or copies) and @ad<19990331                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>17:40 |
| - | 10  | ((updat\$3 or upload\$3) near2 (page or file)) with (backup or backup or history or replica or copy or copies) with (web or www) and @ad<19990331 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>17:18 |
| - | 1   | ((updat\$3 or upload\$3) near2 (page or file)) with (original adj (backup or backup or history or replica or copy or copies)) and @ad<19990331    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>18:03 |
| - | 229 | access\$3 with network with storage with limit\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>18:06 |
| - | 78  | (access\$3 with network with storage with limit\$3) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>18:05 |
| - | 1   | access\$3 with network with storage with limit\$3 with (www or (web adj page)) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>18:09 |
| - | 2   | access\$3 with network with storage with limit\$3 same (www or (web adj page)) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>18:10 |
| - | 6   | access\$3 with network with storage with limit\$3 and (www or (web adj page)) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>19:12 |

|   |     |  |   |                     |
|---|-----|--|---|---------------------|
| - | 0   | (backup with updat\$3 with retriev\$3 with (www or(web adj page) with index\$3)) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>19:15 |
| - | 0   | (backup same updat\$3 same retriev\$3 same (www or(web adj page) with index\$3)) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>19:15 |
| - | 0   | (backup same updat\$3 same retriev\$3 same (www or(web adj page) same index\$3)) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>19:16 |
| - | 745 | ( retriev\$3 same (www or(web adj page) same index\$3)) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>19:16 |
| - | 36  | ((www or(web adj page)) with index\$3) with URL) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/14<br>19:17 |
| - | 581 | search\$3 with index with (html or page)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>09:13 |
| - | 15  | search\$3 with index with (html or page) with updat\$3 and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>09:37 |
| - | 0   | search\$3 with index with (html or page) same (retriev\$3 or read\$3) near2 ((backup or back-up or original) near2 (copy or page or document or file or record)) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>09:40 |
| - | 0   | search\$3 with index with (html or page) same (retriev\$3 or read\$3) with ((backup or back-up or original) near2 (copy or page or document or file or record)) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>09:41 |
| - | 0   | search\$3 with index with (html or page) same (retriev\$3 or read\$3) with ((backup or back-up or original) with (copy or page or document or file or record)) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>09:41 |
| - | 34  | index with (html or page) same (retriev\$3 or read\$3) with ((backup or back-up or original) with (copy or page or document or file or record)) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>10:11 |
| - | 633 | (request\$3 or retriev\$3 or read\$3) with (backup or back-up) with (client or user)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>10:13 |
| - | 0   | (request\$3 or retriev\$3 or read\$3) with (backup or back-up) with (client or user) with (www or web) same (updat\$3 or replac\$3 or modif\$5) near2 (page or document or file or data or message or record) and @ad<19990331 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>10:16 |

|   |     |  |   |                     |
|---|-----|--|---|---------------------|
| - | 0   | (request\$3 or retriev\$3 or read\$3) with (backup or back-up) with (client or user) with (www or web) same (updat\$3 or replac\$3 or modif\$5) with (page or document or file or data or message or record) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>10:16 |
| - | 2   | (request\$3 or retriev\$3 or read\$3) with (backup or back-up) with (client or user) with (www or web) and ((updat\$3 or replac\$3 or modif\$5) with (page or document or file or data or message or record)) and @ad<19990331 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>10:44 |
| - | 0   | (request\$3 or retriev\$3 or read\$3) with (backup or back-up) with (client or user) with (www or web) same ((updat\$3 or replac\$3 or modif\$5) ) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>10:45 |
| - | 4   | (request\$3 or retriev\$3 or read\$3) with (backup or back-up) with (client or user) with (www or web) and ((updat\$3 or replac\$3 or modif\$5) ) and @ad<19990331   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>10:54 |
| - | 372 | (request\$3 or retriev\$3 or read\$3) with (backup or back-up) with ((updat\$3 or replac\$3 or modif\$5) ) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>10:56 |
| - | 0   | (request\$3 or retriev\$3 or read\$3) with (backup or back-up) with (www or web) same ((updat\$3 or replac\$3 or modif\$5) ) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>10:56 |
| - | 2   | (request\$3 or retriev\$3 or read\$3) with (backup or back-up) with ((updat\$3 or replac\$3 or modif\$5) ) same (www or web) and @ad<19990331  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/15<br>12:35 |